

Cambridge IGCSE®

CANDIDATE

NAME	
CENTRE NUMBER	CANDIDATE NUMBER
CHEMISTRY	0620/03
Paper 3 Theory (Core)	For examination from 2020
SPECIMEN PAPER	
	1 hour 15 minutes
Candidates answer on the question paper.	

READ THESE INSTRUCTIONS FIRST

No additional materials are required.

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.


A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 The structures of diamond and chlorine are shown below.



(a) Describe the structure of these two substances. Use the list of words to help you.

cova	lent	diatomic	giant	macromolecule	molecule	structure	
diamond							
chlorine							
							[41
							[4]

(b) The structure of a compound containing carbon and chlorine is shown below.

$$\begin{array}{c|cccc}
Cl & Cl & Cl \\
Cl & C & C & Cl \\
Cl & C & C & Cl \\
Cl & Cl & Cl \\
Cl & Cl & Cl \\
\end{array}$$

What is the molecular formula of this compound?

_____[1


(c)	Chl	orine is	a halogen.					
	(i)	State	the colour o	f chlorine.				
								[1]
	The	table s	shows some	properties of the h	nalogens.			
			Γ					
			element	boiling point/°C	density in liquid state/g per cm ³	colour		
			fluorine	-188	1.51	yellow		
			chlorine	-35	1.56			
			bromine	- 7		red-brown		
			iodine	+114	4.93	grey-black		
	Use the information in the table to answer the following questions.							
				of liquid bromine.	5 .			
	(,			, 0				[1]
	(iii) Describe the trend in boiling point of the halogens down the group.							
	(iii)	Descri	ibe the trend	in boiling point of	the halogens down	tne group.		
								[1]
(d)	(i)	Comp	lete the wor	d equation for the r	eaction of bromine	with aqueous	potassium iodid	e.
` ,	,,				+	·	•	
		D1011111	io · potacoi					[2]
	(!!\	0						[2]
	(11)	Sugge	est wny bron	nine does not react	with aqueous pota	issium chioriae) .	
								[1]
(e)	Pot	assium	chloride is	an ionic substance	but iodine is a mole	ecular substan	ice.	
` ,	Hov	v do mo	ost ionic and	d molecular substar	nces differ in their			
	solubility in water?							
	eled	ctrical c	onductivity?					
								[2]
		,						

[Total: 13]

2

Bro	romine is an element in Group VII of t	the Periodic Table.	
(a)) State the formula for a molecule of	f bromine.	
	***************************************		[1]
(b)	A teacher placed a small amount After two minutes red-brown fume the red-brown colour had spread c	es were seen just above t	the liquid surface. After one hour
	air liquid bromine		
	start a	ifter 2 minutes	after 1 hour
	Use the kinetic particle model of m	natter to explain these obs	ervations.
			[3]
			[Total: 4]

3 The structures of some substances containing nitrogen are shown below.




Answer the following questions by choosing from the structures **A**, **B**, **C**, **D** or **E**. You can use each structure once, more than once or not at all.

Which structure represents

(a)	an acidic oxide,	[1]
(b)	an ionic structure,	[1]
(c)	a gas which turns damp red litmus paper blue,	[1]
(d)	a compound which is formed under conditions of high temperature and pressure in car engines	[1]
(e)	a molecule containing halogen atoms,	[1]
(f)	a salt?	[1]
		[Total: 6]


4 The diagram shows a rotary lime kiln used to make lime from limestone. Limestone is fed in at the top of the kiln and lime comes out at the bottom.



1-1	04-4-	41	-1		£ 12	
(a)	State	me	chemica	ai name	IOI III	ne.

		[1]
(b)	State the name of the type of chemical reaction that takes place in the kiln.	
		[1]
(c)	Suggest why the air coming out of the kiln has a greater percentage of carbon dioxide the air entering the kiln.	nan
		[1]
(d)	State one use for lime.	- 4 -
		[1]


(e) A student compared the rates of reaction of three metal carbonates. She measured the volume of gas released using the apparatus shown.



State **one** thing that must be kept constant if the rates of the three reactions are to be compared in a fair way.

[1]

(f) The graph shows the volume of carbon dioxide released when the three metal carbonates were heated.



yvnich carbonate produced carbon dioxide at the highest rate?
[1
i) What volume of carbon dioxide was produced by strontium carbonate in twelve minutes
[1
i) How do the rates of the reactions of these three metal carbonates relate to the positio of calcium, strontium and barium in the Periodic Table?
[2

(g) Describe how hydrochloric acid and limewater can be used to show that carbonate ions are present in calcium carbonate.

[3]

Iror	n is a transition element.	
(a)	State three properties of transition elements which are not shown by the Group I elements	S.
	1	
	2.	
	3.	[3]
(b)	The symbols for two isotopes of iron are shown below.	
	⁵⁴ ₂₆ Fe ⁵⁷ ₂₆ Fe	
	(i) How do these two isotopes differ in their atomic structure?	
		[1]
	(ii) Determine the number of neutrons present in one atom of the isotope $\frac{57}{26}$ Fe.	
	(ii) Betermine the number of neutrone process in one deam of the loctope 26	
		[1]
	(iii) Determine the number of electrons in one Fe ³⁺ ion?	
		[1]
(c)	Pure iron rusts very easily.	
	Describe and explain one method of preventing rusting.	
	method	
	explain why this method works	
		[2]
(d)	Iron can be recycled.	
	Explain two advantages of recycling metals.	
		[2]

1	(م	In the blast furnace,	iron(III)) oxide	reacts wi	ith carbon	monoxide
١	C1	ווו נווכ טומטנ ועווומטכ,	11 () 1 (111)	<i>I</i> OXIGE	TEACIS WI	illi Calbull	IIIOIIOXIGE.

(ii) State one harmful effect of carbon monoxide.

$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

Which substance gets reduced in this reaction?

Explain your answer.

substance

explanation

[2]


(f) (i) Carbon monoxide is a pollutant gas produced in motor car engines.

State why carbon monoxide is formed.

[1]

[Total: 14]


Concentrated hydrochloric acid can be electrolysed using the apparatus shown.



(a)	Define the term ele	ectrolysis.					
							[1]
(b)	What is the name of Put a ring around t	•		?			
	anion	anode	cathode	cation	electrolyte		
(c)	State the name of	the gas given of	f at the negativ	ve electrode.			[1]
(d)	Complete the following		•	· ·		t.	
	inert	magnesium	platinum	reacti	ve solid		
	Electrodes made	of graphite o	r	are	generally use	d in	electrolysis
	because they are						[2]

(e)	Wh	When concentrated hydrochloric acid is electrolysed, chlorine is released.				
	(i)	Draw the shells and the electronic structure in an atom of chlorine.				
	(ii)	Draw the electronic structure of a chlorine molecule. Show only the outer electron shells.	[1]			
			[2]			
	(iii)	Describe a test for chlorine.				
		test				
		result	[2]			
(f)	Нус	drochloric acid reacts with the base calcium hydroxide.				
	(i)	Complete the word equation for this reaction.				
		hydrochloric acid + calcium hydroxide \rightarrow +				
			[2]			
	(ii)	Hydrochloric acid also reacts with zinc. Complete the symbol equation for this reaction.				
		$Zn + \dots HCl \rightarrow ZnCl_2 + \dots$	[2]			
		[Total:	14]			


7 The pie chart shows the composition of air.



(a) (i)) What	is the	percentage	of nitroger	n in the	air?
----	-------	--------	--------	------------	-------------	----------	------

		[1]
(ii)	Apart from nitrogen and oxygen, state the names of two gases present in unpolluted	air.
	and	[2]

(b) The percentage of oxygen in air can be found using the apparatus shown below.



Air is passed backwards and forwards over the heated copper using the syringes. The copper reacts with oxygen in the air.

copper + oxygen \rightarrow copper(II) oxide

As the experiment proceeds, suggest what happens to

((i)	the	total	volume	of air	in	the	gas	syring	ies.
М	,		to ta:	v Olallio	o. a			940	C 7	,

[1

(ii) the mass of the wire in the tube.

11	П
יו	IJ

(c) State one use of copper.



[Total: 6]

8

Eth	ene,	C ₂ H ₄ , is manufactured by cracking petroleum fractions.	
(a)	(i)	What do you understand by the term fraction?	
			 [1]
	(ii)	Complete the symbol equation for the manufacture of ethene from dodecane, $C_{12}H_{26}$.	
		$C_{12}H_{26} \rightarrow C_2H_4 + \dots$	[1]
(b)		o fractions obtained from the distillation of petroleum are refinery gas and gasoline. te one use of each of these fractions.	
	refir	nery gas	
	gas	soline[[2]
(c)	Wh	ene is an unsaturated hydrocarbon. at do you understand by the following terms? saturated	
	hyd	Irocarbon[[2]
(d)	Eth	ene is used to make ethanol.	
	(i)	Which of these reactions is used to make ethanol from ethene? Tick one box.	
		catalytic addition of steam	
		fermentation	
		oxidation using oxygen	
		reduction using hydrogen	[1]

	(ii)	Draw t	he stru	cture of	ethanol	, showir	ng all ato	ms and	l bonds.			
												[2
(e)	Cor	mplete t	he follo	make powing se	ntences		his react	ion.				
	ade	ditions	C	arbohy	drates	са	talysts	n	nonomer	s	polymer	'S
	The	ethene	molec	ules wh	ich join	to form	poly(ethe	ene) are	e the			
	The	e poly(et	thene)	molecul	es forme	ed are						[2
												[Total: 11]

BLANK PAGE

								Gm	Group								
-	=											=	2	>	5	5	=
							,										2
							I										완
							Нуфоррия										halium
				Key			-										4
60	4		ลิ	atomic number	151							9	9	_	80	в	10
-	Be		ato	atomic symbol	log							9	O	z	0	u	Š
Ebium 1991	beryflem			raimer								borran	carbon	nitrogen	Land Again	Bushen	monu
~	a		relat	relative atomic mass	nass							11	12	14	16	19	50
11	12											13	4	16	16	17	18
Š	Mg											ΑŽ	ï	۵	S	õ	¥
accium	тартайт											ahminium	alloca		authr	dilone	uccur
83	24											27	28	_	35	35,5	40
6	20	21	22	23		25	R	27	28	59	90	31	32	_	돯	32	36
¥	S	တိ	F	>	ပံ	Ā	å	ဝိ	ž	3	Zu	Ga	Ge		Se	ä	호
potassium	calcium	scandum	ttarium	vanadem	g	напдалеве	inge	cobat	rickel	soddeo	2002	gallium	permanium		solenium	bromine	widhia
8	4	45	48	5	25	55	8	20	- 28	8	8	02	73	_	73	80	88
37	38	39	40	14	45	43	4	45	46	47	48	49	20	-	52	53	3
윤	တ်	>	Zr	£	Ф	²	22	뜐	Б	Ag	S	Ŀ	S	g	Те	Н	×e
ndickin	shortlum	ythum	zhoonium	ridblum	тоффонт	indroden	nuthanium	фофия	mobaled	shur	cadmium	mojou	÷		Solbutum	indra	XORDE
18	88	88	91	93	96	ı	101	103	106	108	112	116	119	_	128	127	131
99	99	67-71	72	7.3	74	2.2	76	77	7.8	79	90	8.1	82	-	84	98	98
ర	Ва	harchanoids	Ì	Та	>	å	ŝ	h	ď	Αn	륀	2	Ъ		9	¥	쥰
caesium	patinu		hathirm	tartahm	progsten	Honium	membo	Michael	platinum	pod	(Unpegal)	trallum	bead		policrium	estatee	radon
133	137		178	181	184	186	190	192	195	197	201	204	202	_	ı	1	1
87	88	89-103	104	105	106	107	108	109	110	111	112		114		116		
Ŀ	g	actinoids	₻	음	Sg	临	£	Ĭ	S	g	ວົ		F		۲		
flandum	radium		ntherfordsm	dubnium	Ę	pohrlum	hassium	megneun	dametadbun	roenigerium	operidum		Serovium		Pvermorium		
ı	1		ı	ı	ı	ı	ı	-	ı	ı	ı		ı		ı		
		25	58	99	8	19	62	63	64	65	99	29	89	69	70	71	
lanthanoids	JS.	La	පී	ά	몬	F	S		8	2	à	운	ம்	트	Ϋ́	Ξ	
		lambanum	centum	promocimient	neotymium	promothum	samanum		gadolinism	pertism	dysprostum	holmium	eminu	trelum	yterbism	Mothern	
		139	140	141		1	150		157	159	163	165	167	169	173	175	
		88	90	9		93	ä		96	26	96	86	100	101	102	103	
actinoids		Ac	£	Ъа	_	å	Z		Š	ă	Ö	ŝ	Ē	ΡW	ž	۲	
		actinium	thorium	protectnium	uranium	nephrism	phronium	americkum	outum	berbeilum	californium	oinsteinum	Semium	merdelevium	nobelum	lawrendum	

The volume of one mole of any gas is 24 dm3 at room temperature and pressure (r.t.p.)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.